



AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)

1/12

Version 1 / IND
102000032068

Revision Date: 08.01.2021
Print Date: 08.01.2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)
Product code (UVP) 84935115

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
Bayer House, Central Avenue
Hiranandani Estate
400607 Thane (W)
Maharashtra
India

Telephone +91-22-25311826 / 25311234

Telefax +91-22-25455116

1.4 Emergency telephone no.

Indian Emergency Number 022-25311885 (24 hours/day)

Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4
H302 Harmful if swallowed.

Aspiration hazard: Category 1
H304 May be fatal if swallowed and enters airways.

Skin sensitisation: Category 1
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

RESTRICTED



AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)

2/12

Version 1 / IND
102000032068Revision Date: 08.01.2021
Print Date: 08.01.2021

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Deltamethrin
- Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene

**Signal word:** Danger**Hazard statements**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280	Wear protective gloves/ protective clothing/ eye protection.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Emulsion, oil in water (EW)

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Deltamethrin	52918-63-5	Aquatic Chronic 1, H410 Acute Tox. 3, H331 Aquatic Acute 1, H400 Acute Tox. 3, H301	2.00
Solvent Naphtha (petroleum), heavy aromatic, <1% naphthalene	64742-94-5 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	> 2.50 – < 25.00

RESTRICTED

**AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)**

3/12

Version 1 / IND
102000032068Revision Date: 08.01.2021
Print Date: 08.01.2021

Stearyl alcohol, ethoxylated	9005-00-9	Eye Dam. 1, H318	> 1.00 – < 5.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5 01-2120761540-60-0003	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400	> 0.005 – < 0.05

Further information

Deltamethrin	52918-63-5	M-Factor: 1,000,000 (acute), 1,000,000 (chronic)
--------------	------------	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Do not leave victim unattended. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
--------------	--

RESTRICTED

**AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)**

4/12

Version 1 / IND
102000032068Revision Date: 08.01.2021
Print Date: 08.01.2021

Treatment	<p>Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.</p> <p>In case of skin irritation, application of oils or lotions containing vitamin E may be considered.</p>
------------------	---

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
Hazchem Code	3Z

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Precautions	Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.
--------------------	---

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.
Additional advice	Check also for any local site procedures.

RESTRICTED

**AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)**

5/12

Version 1 / IND
102000032068Revision Date: 08.01.2021
Print Date: 08.01.2021

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition. Vapours may form explosive mixture with air.

Hygiene measures When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Coex EVOH (1000L IBC)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

RESTRICTED

**AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)**

6/12

Version 1 / IND
102000032068Revision Date: 08.01.2021
Print Date: 08.01.2021**Hand protection**

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	suspension, opaque
Colour	white
Odour	strong, characteristic
Odour Threshold	No data available
pH	3.5 - 5.0 (100 %) (23 °C) 4.5 - 7.5 (1 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	No data available
Flammability	No data available
Auto-ignition temperature	> 450 °C The data refer to solvent naphtha petroleum.
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	7.00 %(V) The data refer to solvent naphtha petroleum.

RESTRICTED

**AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)**

7/12

Version 1 / IND
102000032068Revision Date: 08.01.2021
Print Date: 08.01.2021

Lower explosion limit	0.8 %(V) The data refer to solvent naphtha petroleum.
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	1.00 The data refer to solvent naphtha petroleum.
Density	ca. 1.00 g/cm ³ (20 °C)
Water solubility	No data available
Partition coefficient: n-octanol/water	Deltamethrin: log Pow: 6.4 (25 °C)
Viscosity, dynamic	<= 30 mPa.s (20 °C) Velocity gradient 7.5 /s
Viscosity, kinematic	ca. 3 mm ² /s (40 °C)
Oxidizing properties	No data available
Explosivity	No data available
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** LD50 (Rat) 304 mg/kg
Test conducted with a similar formulation.**Acute inhalation toxicity** LC50 (Rat) > 5.80 mg/l
Exposure time: 4 h
Highest attainable concentration.
Test conducted with a similar formulation.**RESTRICTED**

**AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)**

8/12

Version 1 / IND
102000032068Revision Date: 08.01.2021
Print Date: 08.01.2021

Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test Test conducted with a similar formulation. Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Deltamethrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

Aspiration hazard

May be fatal if swallowed and enters airways.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.15 µg/l Exposure time: 96 h The value mentioned relates to the active ingredient deltamethrin.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.0131 µg/l Exposure time: 48 h The value mentioned relates to the active ingredient deltamethrin.
Toxicity to aquatic plants	EC50 (Algae) > 9.1 mg/l

RESTRICTED



AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)

9/12

Version 1 / IND
102000032068

Revision Date: 08.01.2021
Print Date: 08.01.2021

Exposure time: 96 h
The value mentioned relates to the active ingredient deltamethrin.

12.2 Persistence and degradability

Biodegradability Deltamethrin:
Not rapidly biodegradable

Koc Deltamethrin: Koc: 10240000

12.3 Bioaccumulative potential

Bioaccumulation Deltamethrin: Bioconcentration factor (BCF) 1,400
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Deltamethrin: Immobile in soil

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Triple rinse containers.
Do not re-use empty packagings.
Not completely emptied packagings should be disposed of as hazardous waste.

Legal basis

Waste key in accordance with Schedule I of the Hazardous Waste Rules, 2008 as amended (India - EP Act):

29.1 Process wastes/residues
29.3 Date-expired and off-specification pesticides

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number **3082**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)

14.3 Transport hazard class(es) 9

14.4 Packaging Group III

14.5 Environm. Hazardous Mark YES

RESTRICTED



AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)

10/12

Version 1 / IND
102000032068

Revision Date: 08.01.2021
Print Date: 08.01.2021

Hazard no. 90
Hazchem Code 3Z

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number **3082**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3082**
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DELTAMETHRIN SOLUTION)
14.3 Transport hazard class(es) 9
14.4 Packaging Group III
14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: II (Moderately hazardous)

Labeling according to Insecticide Rules 1971 as amended. (INDIA)



Class II: Highly toxic
Colour: bright yellow
Poison!
Keep out of the reach of children.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301 Toxic if swallowed.

RESTRICTED

**AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)**

11/12

Version 1 / IND
102000032068Revision Date: 08.01.2021
Print Date: 08.01.2021

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

RESTRICTED

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



AQUA K-OTHRINE (DELTAMETHRIN 2% W/W EW)

Version 1 / IND
102000032068

12/12

Revision Date: 08.01.2021

Print Date: 08.01.2021

RESTRICTED